

SPICE PRODUCTS AVAILABLE TO THE PLANETARY SCIENCE COMMUNITY

Poster Presentation by
Charles Acton
Jet propulsion Laboratory
Charles.Acton@jpl.nasa.gov

LPSC
March 18, 1999

This work was carried out by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration

What Are SPICE Data?

SPICE data tell you:

- when an instrument was taking data
- how an instrument was acquiring data (operating mode)
- where the spacecraft was located
- how the spacecraft and its instruments were oriented (pointed)
- what was the location, size, shape and orientation of the target being observed
- what other relevant events were occurring on the spacecraft or within the ground data system

SPICE File Types

- Spacecraft/lander/rover ephemerides (position & velocity) SPK
- Target body ephemerides SPK
- Target body size/shape/orientation PCK
- Instrument and other structures mounting alignment FK
- Instrument field-of-view geometry and similar information IK
- Spacecraft and other articulating structures orientation CK
- Spacecraft clock correlation coefficients SCLK
Used for spacecraft clock time conversion
- Leapseconds LSK
Used for ephemeris time conversion
- Events (EK):
 - Science observation plans ESP
 - Sequence (spacecraft and instrument commands) ESQ
 - Experimenter's Notebook ENB
- Star catalog (coming soon)

SPICE Software

- Subroutines to write some kinds of SPICE files (SPK, CK, ESQ)
- Programs to write some kinds of SPICE files (SPK, ENB)
- Subroutines to read SPICE files (all types except ESP, ENB)
- Subroutines to compute parameters derived from SPICE kernels data
 - Examples: position, direction, lighting angles, LAT/LON, etc.
- Program for querying contents of EVENTS kernels (ESQ)
- Programs for utility and data management functions
 - Porting binary files between dissimilar CPUs (SPK, CK, ESQ)
 - Merging binary files (SPK, CK)
 - Summarizing contents/coverage (SPK, soon CK)
 - Annotating binary files with metadata (SPK, CK, ESQ)
 - Reading or extracting metadata from files (SPK, CK, ESQ)

Examples of What Can Be Computed Using SPICE Data and Software

- Position, velocity, range, altitude, light-time
- Target body orientation
- Sub-spacecraft latitude and longitude
- Spacecraft or spacecraft structure orientation
- Instrument orientation ("look direction")
- Instrument "look direction" intercept location on a target
- Instrument field-of-view projection on a target
- Lighting angles (phase, incidence, emission) at a specified location
- Smear magnitude and orientation

SPICE File Availability

Spacecraft	Vehicle	Target						EK:	EK:	EK:	
	SPK	SPK	PcK	FK	IK	CK	SCLK	ESP	ESQ	ENB	Other
Generic ephemerides:											
planets		•	•								
satellites		•	•								
comets and asteroids		•									
DSN antennas	•										
Mariner 9	•	•									
Mariner 10	•	•									
Pioneer 6, 8, 10, 11	•	•									
Viking Orbiter 1,2	•	•		•	•	•	•				•
Voyager 1,2	•	•			0	0	•		0		
Giotto, Vega	•	•									
Ulysses	•	•									
Magellan	•	•	•								
Phobos-2 (USSR)	•	•	•								
Clementine	•	•	•	•	•	•	•				•
Galileo Cruise	•	•	•	•	•	•	•		•		
Galileo Tour	•	•	•	•	•	•	•	•	•		
Galileo Extended Mission	0	0	0	0	0	0	0	0	0		
Halca (VSOP Space VLBI, Japan)	•	•									
Mars Pathfinder Lander	•	•	•	•	•	•	•		•		
Mars Pathfinder Rover (Sojourner)	•	•	•	•	•	•	•				
Near Earth Asteroid Rendezvous	0	0	0	0	0	0	0				
Mars Global Surveyor (pre-mapping)	•	•	•	•	•	•	•				•
Mars Global Surveyor (mapping)	0	0	0	0	0	0	0		0	0	
Mars Climate Orbiter	0	0	0	0	0	0	0		0	0	
Mars Polar Lander	0	0	0	0	0	0	0		0	0	
Stardust	•	•	•	•	•	•	•	0	0	0	
Deep Space 1	0	0	0	0	0	0	0	0	0	0	
Cassini cruise	0	0	0	0	0	0	0		0	0	
Cassini Saturn tour	0	0	0	0	0	0	0	0	0	0	
SIRTf	0	0		0	0	0	0				
Mars 01 Orbiter	0	0	0	0	0	0	0	0	0	0	
Mars 01 Lander	0	0	0	0	0	0	0	0	0	0	
Mars 01 Rover	0	0	0	0	0	0	0	0	0	0	
Genesis	0	0	0	0	0	0	0	0	0	0	
Mars 03	0	0	0	0	0	0	0	0	0	0	
Mars 05	0	0	0	0	0	0	0	0	0	0	
Mars Express (ESA)	*	*	*	*	*	*	*	*	*	*	
Contour	*	*	*	*	*	*	*				
Muses-CN (Japan)	*	*	*	*	*	*	*	*	*	*	
Deep Space 4	*	*	*	*	*	*	*	*	*	*	

• = full or partial

0 = expected in the future

* = future possibility

